

Caravella, Serenella; Crespi, Francesco; Cucignatto, Giacomo; Guarascio, Dario

**Working Paper**

## Technological Sovereignty and Strategic Dependencies: The case of the Photovoltaic Supply Chain

GLO Discussion Paper, No. 1330

**Provided in Cooperation with:**

Global Labor Organization (GLO)

*Suggested Citation:* Caravella, Serenella; Crespi, Francesco; Cucignatto, Giacomo; Guarascio, Dario (2023) : Technological Sovereignty and Strategic Dependencies: The case of the Photovoltaic Supply Chain, GLO Discussion Paper, No. 1330, Global Labor Organization (GLO), Essen

This Version is available at:

<https://hdl.handle.net/10419/276964>

**Standard-Nutzungsbedingungen:**

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

**Terms of use:**

*Documents in EconStor may be saved and copied for your personal and scholarly purposes.*

*You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.*

*If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.*

# Technological Sovereignty and Strategic Dependencies: The case of the Photovoltaic Supply Chain\*

Serenella Caravella

(SVIMEZ)

Francesco Crespi

(Università Roma Tre, Centro Economia Digitale)

Giacomo Cucignatto

(Università di Roma “La Sapienza”)

Dario Guarascio♦

(Università di Roma “La Sapienza”, Sant’Anna School of Advanced Studies, GLO)

## Abstract

This work sheds new light on the Photovoltaic Supply Chain (PVSC), providing fresh evidence on strategic dependencies (SDs) and (asymmetrically distributed) technological capabilities. Bridging the perspectives of ‘technological sovereignty’ and ‘strategic autonomy’, a number of contributions are provided. First, we carry out a fine-grained mapping of the PVSC, combining trade and patent data. Second, we assess the long-term evolution of trade and technological hierarchies, documenting processes of polarization and growing SDs. Third, we zoom-in on critical PV areas (i.e. products and related technologies), providing a ‘strategic intelligence’ activity which may prove useful for tailoring trade, industrial and innovation policies. Fourth, we explore the relationship between technological specialization and productive capabilities showing that, in the upstream segment, reinforcing the former may help mitigating SDs.

**Keywords:** Technological sovereignty, Strategic dependency, Photovoltaic industry, Trade, Patents.

**JEL codes:** C23, F18, O31, O38, Q42.

---

\* The authors acknowledge the support by Centro Economia Digitale. Giacomo Cucignatto and Dario Guarascio also acknowledge the support of the Dezernat Foundation in the context of the European Macro Policy Network project. The usual disclaimers apply.

♦ Corresponding author: [dario.guarascio@uniroma1.it](mailto:dario.guarascio@uniroma1.it); [dario.guarascio@santannapisa.it](mailto:dario.guarascio@santannapisa.it)

## 1. Introduction

The disruption of Global Value Chains (GVCs) induced by the Covid-19 crisis and further exacerbated by the Russia-Ukraine war has dramatically exposed the 'risks of globalization' (Baldwin and Freeman, 2021): shortages of essential goods (Winkler and Wuester, 2022), production chains undermined by the lack of critical raw materials (CRMs) and components (Celi et al., 2022), 'weaponized interdependence' (Farrel and Newman, 2019; Gjesvik, 2022) and 'technology wars' (Miller, 2021). These are the key features of a global economy that is increasingly divided between two 'competing blocs', i.e. the US and China (Rodrik and Walt, 2022).

In this context, decarbonisation and, more broadly, transition to renewables (e.g., solar, wind) become even more pressing goals. The urgency of achieving ambitious climate targets is compounded by the need to reduce dependence on economies that control fossil fuels, in order to minimize their rents and related 'geopolitical leverage'.<sup>1</sup> Even in this case, however, asymmetries and conflicts are in order. The transition to renewables is constrained by the asymmetric distribution of raw materials, manufacturing capacity and technological capabilities (IEA, 2021). While China experienced an astonishing technological catching up, gaining dominant market shares in key markets, such as photovoltaic (PV) panels and lithium batteries (IEA, 2022a; Altenburg et al., 2022), the US and EU are realizing that increasing dependence on a few suppliers of CRMs and intermediate goods can undermine growth prospects and push away their energy transition targets.

After nearly three decades of reliance on free trade as a 'metronome' of the global division of labor and relative productive/technological specialization, forgotten concepts such as absolute advantages (Dosi and Tranchero, 2021), idiosyncratic capabilities, selective industrial policy (Andreoni and Chang, 2019; Cucignatto and Garbellini, 2022), strategic autonomy/dependence (SD), and technological sovereignty (TS) (Edler et al., 2020, 2023; Cerra and Crespi, 2021; Crespi et al., 2021; Caravella et al., 2021; Bellanova et al., 2022; Da Ponte et al., 2022; Gehringer, 2023) are back to the fore, even in Brussels (EC, 2019a, b; Couture and Toupin, 2019; EC, 2021, 2022). Epitomized by such a 'resurrection' of Hamiltonian concepts (Celi et al., 2020), it became again clear how countries' productive and technological capabilities play a fundamental role to ensure their resilience and capacity to adapt to *poly* (several) and *perma* (lasting) *crises* as well as vis-à-vis growing geopolitical tensions (Morin, 1999; Juncker, 2016; Tooze, 2022).

---

<sup>1</sup> At the European level, the growing ambitions in terms of emissions reduction targets has been translated into a set of relevant policy actions, such as the *Green Deal*, the *RepowerEU* and the *Solar strategy*.

The literature focusing on TS and SD is thus flourishing. Its key aim is to provide theoretical rationale and empirical evidence to support industrial policies directed at strengthening economies in these domains, particularly in strategic areas as those related to the digital and green transitions (Guarascio et al., 2023).

Concerning the latter, the PV supply chain (SC) is crucial for at least three reasons. First, solar energy is one of the key avenues for achieving climate goals, given the increasing performance of PV panels and their ductility, which makes them suitable for a myriad of civil and industrial settings.<sup>2</sup> Second, the manufacturing process of PV panels is among the most efficient, allowing the emissions produced during production to be “repaid” in a relatively short amount of time (IEA, 2022). Third, the PVSC has attracted a huge amount of investments during the last fifteen years<sup>3</sup> resulting in growing market concentration, reshuffling of productive/technological hierarchies and increasing SDs (Kowalski and Legendre, 2023).

This explains the proliferation of industrial policy actions, as those recently put forth by the US government and the European Commission, targeting this SC.<sup>4</sup> As far as PV-related industrial policy are concerned, a number of objectives are in order. First, increasing manufacturing capacity to meet the growing demand for PV panels and match the related climate targets. Second, consolidating technological capabilities to develop the necessary components, particularly the most technologically advanced, so to avoid ‘missing the train’ of the new PV modules generations. Third, reducing the dependence on key suppliers (e.g., China) of CRMs and components (e.g., inverters). In the context of the energy transition, this means avoiding to switch from one dependency, i.e. fossil fuels and their suppliers, to another, i.e. CRMs and components needed to produce PV panels.

This work adds to the literature on TS (Crespi et al., 2021; Edler et al., 2023) and SDs (Gehring, 2023) by focusing on the PVSC on which it provides a number of empirical contributions. In this way, the present paper complements previous, more theoretically oriented analyses, by developing an empirical framework that aims to apply concepts to concrete case analysis (i.e. the PVSC), which can be potentially extended to other strategic relevant industries. In particular, building on Edler et al. (2023), the empirical framework adopted is aimed at developing a product-level ‘strategic intelligence’ analysis, that could be potentially informative also for policy decision making.

---

<sup>2</sup> At the global level, installed solar PV capacity is expected to become the largest in the world by 2027, with a cumulative capacity nearly tripling over the period (1.500 GW), surpassing natural gas by 2026 and coal by 2027 (IEA, 2023).

<sup>3</sup> According to Jäger-Waldau et al., (2020) two are the mains stylized facts regarding the recent evolution of the PVSC. First, the rise of China. Second, the relative retreat of the US and the EU as global players.

<sup>4</sup> The most relevant are the *Inflation Reduction Act* (IRA) on the US side (McKinsey, 2022), the *Green Deal Industrial Plan for the Net-Zero Age* and the *Solar Strategy* on the EU side (Kleimann et al., 2023).

First, building on an in-depth literature review, a granular mapping of the PVSC is carried out, tracing all its relevant segments (up, mid and downstream). Second, a novel SD indicator based on detailed product-level trade data is provided. This allows assessing the long-term evolution of the SC, offering fresh evidence on changing hierarchies, SDs and positioning of key players across each product segment. For each economy included in the analysis, the ranking of products facing ‘critical dependencies’ is reported, associated with information on the relevant suppliers. Third, product codes are merged with International Patent Classes (IPC) to assess the role of knowledge and technology in shaping hierarchies and SDs. The evolution of capabilities as well as the dynamics of technological specialization is analysed, relying on the Revealed Technological Advantage (RTA) indicator. The combined information on SDs and technological capabilities are jointly analysed in order to provide a thorough identification, for each economic area under scrutiny, of critical segments along the PVSC. Finally, a Dynamic Ordered Probit (DOP) model is estimated to test if and to what extent the accumulation of technological capabilities may shape the degree of SD at the country-segment-product level. This evidence is then discussed in the light of the industrial policy initiatives aimed at strengthening production and technology capabilities in the PV industry.

The article is structured as follows. Section 2 reviews the recent literature on TS and SD, with a specific focus on the PV industry. Section 3 illustrates the methodology and adopted databases, providing the mapping of the PV industry. The empirical evidence is presented in Section 4, while Section 5 concludes discussing the main implications in terms of industrial and innovation policy.

## **2. Technological sovereignty, strategic dependencies and the PV industry**

Global conflicts are increasingly played out over control of raw materials, technologies and strategic assets. This is testified by the proliferation of ‘technological wars’ (Miller, 2021), and geopolitical tensions concerning the access to CRMs (Guarascio et al., 2023). On the other hand, trade and technological dependencies are constraining economies’ growth prospects, reducing their resilience vis-à-vis global shocks. This explains why, in a relatively short amount of time, the policy debate moved from extolling the benefits of globalization to rediscovering concepts with a ‘Listian’ flavour (Crespi and Guarascio, 2019; Dosi et al., 2021), such as TS and SDs (Edler et al., 2023).

According to Edler and colleagues, TS can be defined as “the ability of a state or a federation of states to provide the technologies it deems critical for its welfare, competitiveness, and ability to act, and to be able to develop these or source them from other economic areas without one-sided structural dependency”. This concept builds on the acknowledgement that no country is able to rely only on its own capacities and market size to maintain sovereignty in a globalized and interconnected world. This implies that sovereignty does not require technological autonomy *tout court* but, conversely, it

suggests the need for a country to develop or preserve, with respect to key technologies, its own autonomy or, alternatively, to have the lowest possible level of SDs with respect to international partners (Crespi et al., 2021). Reducing SDs and, even more so, achieving TS is all but an easy task, though. Global interdependencies are increasingly ‘weaponized’ (Drezner et al., 2021), fuelling core-periphery divides and polarization dynamics (Celi et al., 2018). On the other hand, productive and technological capabilities, crucial to mitigate SDs, are inherently local, cumulative, and correlated to the strength of pivotal institutions such as public R&D bodies, universities, organizations facilitating technology transfer (e.g., the German Fraunhofer Institute). In other words, such capabilities are difficult to create and accumulate, as this may require a considerable amount of time as well as the availability of complementary assets and skills, without considering the frequent use of protectionist measures (e.g., selective export bans) aimed at preventing their diffusion.

In this context, the ‘operationalization’ of TS and SDs implies the assessment of economies’ relative autonomy (dependency) vis-à-vis key partners as a fundamental feature of their resilience (weakness) with respect to global shocks and conflicts. As a result, SDs need to be framed adopting a systemic perspective which goes beyond technology. Focusing on relevant supply chains (SCs), TS and SDs have to be analysed considering, jointly, technology, CRMs, capital, intermediate and final goods (EC, 2021, 2022).<sup>5</sup> Empirically, this means, first of all, identifying and mapping relevant SCs at the highest possible level of detail. Secondly, defining reliable indicators capable of quantifying the degree of productive and technological autonomy/dependence. Finally, the analysis must be conducted over a reasonably long period of time, in order to capture structural changes and relevant shifts in hierarchical relationships (Edler et al., 2023).

As argued, the debate on TS and SDs is strictly connected with the need to accelerate the energy transition. Achieving increasingly ambitious climate targets requires accessing to asymmetrically distributed CRMs, products, and technologies. By the same token, accelerating the shift to renewables, in addition to making the economy environmentally sustainable, can help weakening one of the key levers of weaponized interdependence: fossil fuels (Celi et al., 2022).

In this respect, solar energy and, more specifically, PV panels play a fundamental role. According to the EU *Green Deal*’s upgraded climate targets – emission reductions of 55% by 2030, the PV industry was expected to provide a massive contribution, with the installation of new capacity between 325

---

<sup>5</sup> The more systematic and fine grained this process is, the greater the possibility of identifying the specific domains that really matter to efficiently allocate resources to develop the necessary technological and productive capabilities and to foster market processes that are conducive to increasing the level of sovereignty

and 375 GW<sub>DC</sub> by 2030, depending on the scenario considered. This would have required a 3- to 5-fold growth of the European PV market as compared to its 2019 size (Jäger-Waldau et al., 2020).

When the war-induced energy crisis stepped in, the EU planned efforts to increase PV installation become even more ambitious. Included in the *REPowerEU*, the *Solar Strategy*<sup>6</sup> sets out new targets: 400 GW<sub>DC</sub> by 2025 and nearly 750 GW<sub>DC</sub> by 2030 in terms of electricity generation additional capacities.<sup>7</sup> This means (more) than doubling EU capacity by 2025 compared to the current availability (170GW<sub>DC</sub> in 2020), as well as to the *Green Deal*'s already challenging 2030 targets.

Are these targets reasonable given the EU productive and technological capabilities? Or, on the other hand, would the EU end up be facing new and stronger SDs? Will the transition be fast and sustainable or, in turn, slow and characterized by relevant economic and social costs? The answer to these questions is to a significant extent related to the EU's ability to rapidly strengthen its production (and technological) capacity along the PVSC. Indeed, such concerns are clearly acknowledged by the EC, as testified by the recent *Net-Zero Industry Act*.<sup>8</sup> The latter aims at scaling up EU manufacturing capacity of clean technologies, in order to meet at least 40% of total demand through domestic production by 2030.

As key players are in competition, though, their industrial and trade policy strategy can further complicate the picture, making the situation more difficult for those with weaker capabilities and/or fewer resources to invest. This is the case of the US *Inflation Reduction Act* (IRA), which is intended to sustain digital and green investments as a way to achieve climate targets and reduce SDs. In this respect, the large amount of subsidies that the IRA allocates to promote (national and foreign) investments in the US PVSC may transform the country into one of the areas where producing solar panels is more attractive.<sup>9</sup> Clearly enough, such initiative can create distortions in the global market fuelling new asymmetries. In fact, despite its remarkable activism in this domain (e.g., the recently launched Green Deal Industrial Plan), whether EU industrial and energy policies will be enough to

---

<sup>6</sup> European Commission (2022), Eu Solar Energy Strategy, *Staff Working Document 148*. [https://energy.ec.europa.eu/system/files/2022-05/COM\\_2022\\_221\\_2\\_EN\\_ACT\\_part1\\_v7.pdf](https://energy.ec.europa.eu/system/files/2022-05/COM_2022_221_2_EN_ACT_part1_v7.pdf).

<sup>7</sup> These EU *Solar Strategy* targets are set in alternating current terms (320 GW<sub>AC</sub> by 2025 and 592 GW<sub>AC</sub> by 2030). Renewable power is produced by PV *modules* transforming sunlight in *Direct Current* (DC), then converted by the *inverters* to *Alternating Current* (AC) to feed into the grid and finally converted back to DC for final consumption. All these processes are energy dissipating, therefore the Commission is considering an increase in the use of DC technologies within the electricity system.

<sup>8</sup> European Commission (2023). Proposal for a Net Zero Industry Act, *COM(2023) 161 final*. [https://eur-lex.europa.eu/resource.html?uri=cellar:6448c360-c4dd-11ed-a05c-01aa75ed71a1.0001.02/DOC\\_1&format=PDF](https://eur-lex.europa.eu/resource.html?uri=cellar:6448c360-c4dd-11ed-a05c-01aa75ed71a1.0001.02/DOC_1&format=PDF)

<sup>9</sup> McKinsey (2022). Building a competitive solar-PV supply chain in Europe, Report. Available at: <https://www.mckinsey.com/industries/electric-power-and-natural-gas/our-insights/building-a-competitive-solar-pv-supply-chain-in-europe>.

counterbalance US efforts remains an open question (Jansen et al., 2023; Kleimann et al., 2023). Ironically, the US attempt to resize China's power in the PVSC by stimulating domestic investments and FDIs may result in an EU-US redistribution unfavorable to the former and unlikely to seriously counter Chinese growth, as the latter is propelled by incomparable public investments, economies of scale, growth of the domestic market and vertical integration strategies (see below).

Overall, the PV industry represents a textbook example of hierarchical reshuffling and growing SDs. In the late 1990s, European companies managed to catch up with the leaders of the time, i.e. the US and Japan, gaining a leading position in the SC. However, China's market entry quickly changed the picture. Between 2007 and 2017, the EU global share of PV modules production fell from 30% to 3% and a large number of EU-based solar companies went bankrupt or were taken over (Buigues and Cohen, 2023).<sup>10</sup> At the same time, Chinese solar panel manufacturers massively expanded their production capacity, at the expense of all other producers. In less than ten years (2003-2013), China's share in the PV industry rose from less than 1% to around 60% (Jäger-Waldau, 2013; Shubbak, 2019). In 2021, China's share reached 75% in Modules production (IEA, 2022b).<sup>11</sup> For wafers, China seems to have little competition while a more nuanced picture characterizes cells and modules, for which Southeast Asia has considerable manufacturing capacity (i.e. Vietnam, Malaysia and Thailand). For polysilicon, Germany remains the major supplier for the c-Si PV modules<sup>12</sup> industry, while the US and Japan have a good productive capacity but focus on semiconductor-grade products.

Such a production reshuffling has been eased by the exploitation of substantial economies of scale and incremental innovations allowing to reduce production costs all along the SC. For example, the average price of modules dropped by 80% between 2010 and 2020 (IEA, 2022a). As a consequence, most of the literature focused on price competitiveness and its implications (Hajdukovic, 2020; Garlet et al., 2020), while less attention has been given to long-term structural dynamics including changing hierarchies, positioning of countries as regards technological and productive capabilities, access to CRMs as well as heterogeneities in terms of industrial and innovation policy.

In fact, excess supply and falling prices were not the only explanation for the Chinese success. On the demand-side, the strong push given by the green subsidies put forth by the EU and other countries to reduce carbon emissions played a relevant role. Huang et al. (2016) have documented the positive

---

<sup>10</sup> Q-Cells, Solon, Conergy, Solarion, SMA Solar, Sunways, Solarwatt, and SolarWorld. As a result, most of the solar companies still on the European market are subcontractors, who buy their panels in Asia and are therefore against further anti-dumping measures for Chinese manufacturers (Buigues and Cohen, 2023).

<sup>11</sup> For a further details see the Photovoltaic Power System Programme's Report *Trend in Photovoltaic Application 2022*, published by IEA and available at: [https://iea-pvps.org/wp-content/uploads/2023/02/PVPS\\_Trend\\_Report\\_2022.pdf](https://iea-pvps.org/wp-content/uploads/2023/02/PVPS_Trend_Report_2022.pdf).

<sup>12</sup> Accounting for more than the 95% of global production (IEA, 2022).



correlation between EU subsidies and the import of Chinese panels that, in 2011, were already above €20 billion (Buigues and Cohen, 2023; Yang et al., 2023). Moreover, Chinese industrial policy – based on a complex mix of public investments, R&D programs and credit support for PV producers – represent another important piece of the explanation (Zhang and He, 2013; Zhang et al., 2013; Huang et al., 2016; Costantini et al., 2018). In the aftermath of the Global Financial Crisis, such policies allowed key Chinese players to survive the recession, overcome overcapacity problems and gain a substantial competitive advantage vis-à-vis their Western counterparts (Ball et al., 2017; Shubbak, 2019). Process innovations are also important, though. In 2018, the introduction of the diamond wire saw enabled a significant reduction of silicon consumption in the ingot-cutting process, positively affecting the efficiency of production. According to IEA (2022a), ‘the average polysilicon use per watt of finished cell decreased almost 60% between 2010 and 2021’. Likewise, the switch to monocrystalline wafer manufacture is boosting production of high-efficiency cells, further reducing the per-watt cost of solar PV modules.

To understand its structural reshuffling, the fragmentation and complexity of the PVSC should be properly considered. The change in hierarchies and competitive positions is not limited to the final stage of production, e.g., the massive increase in Chinese solar modules exported all over the world. Chinese manufacturers managed to increase their global share in virtually all the key segments of the SC, reaching 79% in terms of Polysilicon production, 97% in Wafers and 81% in Solar Cells by 2021 (IEA, 2022b). Relying on a vigorous public support, Chinese companies put forth vertical integration strategies, particularly towards the upstream segment, which proved effective to exploit economies of scale and scope as well as to strengthen their technological capabilities (Zhang and Gallagher, 2016). A paradigmatic case is that of Trina Solar which has recently announced an ambitious industrial strategy to penetrate the SC, moving up to the wafer, silicon and CRMs segments.

Concerning the technological catching-up, Binz et al. (2017) argue that, in less than twenty years, the PV geography changed. Once undisputed leaders such as US, Japan and Germany are heeled and, in some cases, caught up by ‘latecomers’ as China, South Korea and Taiwan. All three are no longer latecomers, thanks to the combination of public investment, industrial policies, FDIs and technological spillover (Yuan et al., 2022). China, by virtue of a long-term plan aimed at gaining a leading role in the solar sector, including in technology, is experiencing a sustained strengthening of its position even where it used to start off at a major disadvantage (e.g., machinery).

Another essential component of the SC are raw materials (IEA, 2021; Kowalski and Legendre, 2023). For most CRMs mining capacity is asymmetrically distributed and the environmental costs of extraction make the opening of new mining fields problematic, particularly where environmental

standard are stringent, as in the EU. Overall, the EU displays relevant SDs with respect to a large number of CRMs (for an analysis, see Guarascio et al., 2023). Concerning PV modules, however, Rabe (2017) argues that SDs could be less intense as compared, for example, to the lithium batteries SC (IEA, 2021; Naumanen et al., 2019). Focusing on tellurium, gallium and indium - which are widely used in the production of thin film solar cells, i.e. CdTe (cadmium telluride) and CIGS (copper indium gallium selenide) cells – and discussing the risk the EU might face in this area as well, Rabe (2017) provides a rather optimistic prediction as diversification seems to be relatively manageable (e.g., alternative European and Japanese sources) and a moderate demand growth of thin film solar cells is expected.<sup>13</sup>

This review shows that the structural evolution of the PVSC represents a relevant case to study TS and SDs and their role in explaining economies' relative positioning and prospects concerning the energy transition. In particular, a number of stylized facts can be summarized. First, the global demand of PV modules raised substantially in the last twenty years, pushed by the generalized attempt to accelerate the transition to renewable energies, large public subsidies, process innovation and falling prices. Second, a structural reshuffling took place, with China gaining a prominent place in the SC while the US and the EU scaling down their role. Third, a process of technological catching up has seen, again, China and few other Asian economies, reduce (and in some case close) the gap vis-à-vis their western counterparts. Such dynamics, however, are heterogenous across SC' segments, and need to be investigated by carrying out granular explorations. Moreover, the evolution of productive and technological capabilities do not necessarily go hand in hand, and differences in this regard need to be properly assessed in order to identify exactly where SD issues are more compelling.

With regard to these aspects, previous literature appears to be still not adequately developed and the analysis presented in the next sections aims at providing a contribution in this direction by developing a product-level 'strategic intelligence' empirical framework based on a detailed mapping of the PVSC and an in-depth investigation of SDs and technological capabilities.

### **3. Mapping the PV supply chain: data and methodology**

To analyse the long-term evolution of the PV value chain, two unique data sources are merged. The analysis of SDs is based on trade data, stemming from the United Nations Comtrade database. The

---

<sup>13</sup> In this respect, the recent ban imposed by the Chinese government on the export of gallium and germanium, both used in the production of thin cells, cast some doubts on Rabe et al. (2017)'s optimistic predictions concerning CRM-related SDs. For details on the Chinese ban, see Liu and Bradshaw (2023) on the *Financial Times*: <https://www.ft.com/content/6dca353c-70d8-4d38-a368-b342a6450d95> (last access: 8 September 2023).

latter provides granular product-level information, allowing to trace all segments of the SC. Moreover, Comtrade data provide information on all the economies participating in the SC covering a rather long time span, making possible to capture structural change and hierarchical reshufflings.<sup>14</sup>

Technological capabilities are measured relying on data from the OECD Patent database. The identification of the relevant patent IPC codes corresponding to the associated Comtrade product identifiers is based on previous literature (Binz et al., 2017; Shubbak, 2019; Kalthaus, 2019) and carried out by distinguishing different segments of the SC: upstream, midstream and downstream. Therefore, the unit of analysis is the triad country-segment-product/patent IPC code, while the evolution of the SC is investigated over the period 2007-2021 focusing on five economies – China, the EU, Korea, Japan and the US – representing around the 70-80% of the global market.<sup>15</sup>

### *3.1. Mapping the PV value chain*

#### *The trade dimension*

The extant literature has mostly focused on specific components of the SC, e.g., wafers, cells and inverters (Garlet et al., 2020). However, its significant degree of fragmentation - i.e. a larger number of relevant products and components in addition to those that are usually examined - and internationalization asks for a more thorough mapping, as complementarities matter and competitive advantages can be fully exploited only by including “remote” corners of the chain. To the best of our knowledge, no contribution has yet provided a complete, long-term and updated mapping of the PVSC. Likewise, there is no available analyses bringing together the production and the technology side at a high-level of disaggregation (Yuan et al., 2022).

Our mapping focuses on the wafer-based crystalline silicon (cSi) PV technology. The latter accounts for over 95% of global module production, while cadmium telluride (CdTe) thin-film PV technology makes up the remaining (IEA, 2022b). Moreover, the cSi modules are well placed to dominate in future PV power generation, due to their high efficiency, low cost, long service time and relative

---

<sup>14</sup> International trade statistics are characterised by a significant number of discrepancies and several attempts have been made to reconcile trade data internationally (Shaar, 2019; Arjona et al., 2023) – i.e. the Global Trade Analysis Project (GTAP) or the BACI-CEPII database, just to mention a few (Gehlhar, 1996; Gaulier and Zignago, 2010). Regarding Comtrade, main data issues concerns outliers, missing values, and bilateral asymmetries (Chen et al., 2022). Some scholars argue that the BACI database is more suitable than Comtrade for studying SDs and even more appropriate would be the FIGARO-Eurostat database (Arjona et al., 2023). Nevertheless, none of these data are flawless, with the main problems being the use of biased measures of reporter quality, the subjective choice of acceptable quality thresholds and not accounting for the role of data availability as a dimension of reporter quality (Shaar, 2019). No less relevant, UN Comtrade is still the most widely-used data source, due to its broad coverage of commodity categories and reporters (Chen et al., 2022), particularly relevant when it comes to a thorough mapping of a specific industrial chain (Guo et al., 2023).

<sup>15</sup> Notice that the analysis on PV-related patents is limited to 2019 due to missing observations.

abundance of materials (Benda and Cerna, 2020). By the same token, not only the second generation - i.e. thin film solar cells - currently represents a very small share (4.6%) of the global PV market, but this share is not expected to grow substantially in the long run either, estimated to be between 1% and 23% for 2050 based on three different scenarios (Carrara et al., 2020).

To trace the PVSC components, we rely on the 6-digit product-level *Harmonised System* (HS) classification, allowing to assess trade dynamics regarding feedstocks, machineries and components.<sup>16</sup> From a strictly methodological viewpoint, two elements are worth underlining. First, the selected set of HS codes went through a cleaning process following Korniyenko (2017), that is dropping the few product codes<sup>17</sup> for which information are available only at the beginning of the period considered or associated exclusively to countries having a negligible role in global trade. Second, there are specific limitations related to Comtrade data. In particular, product descriptions may be too broad to exclusively include solar PV products. Therefore, results need to be interpreted with some caution (Gahrens et al., 2021). Furthermore, there are no information on re-exporting practices which may however be relevant to understand the deep functioning of the SC. Concerning this issue, further research pushing forward the approach here proposed would be desirable.

The mapping is based (and validated) relying on a large set of contributions (Algieri et al., 2011; Rabe, 2017; Latunussa et al., 2016; Carrara et al., 2020;; Hajdukovic, 2020; Gahrens et al., 2021; Wang et al., 2021; IEA, 2022a). The starting point is the HS code referring to *Solar Cells and Modules* (HS 854140). In line with Gahrens et al. (2021), we add the HS codes related to machineries and, more specifically, those used for the production of wafer, cells, modules and related parts. In addition, we include the HS codes referring to three different type of electric generators; inverters and their parts.<sup>18</sup> In so doing, we provide a more comprehensive representation of the SC, allowing to analyse the evolution of the PV industry along the up, mid and downstream segments. Furthermore, we follow Wang et al. (2021) including *High-purity Silicon* (HS 280461) and *Wafers* (HS 381800), which are crucial components of the upstream segment (IEA, 2022a).

---

<sup>16</sup> The UN Comtrade database provides even more disaggregated level product-level data, i.e. the Combined Nomenclature classification (8-digit) and the Harmonised Tariff Schedule (10-digit) (Algieri et al., 2011). Nonetheless, this would not allow us to cover all the relevant countries, given that these datasets do not provide internationally uniform data.

<sup>17</sup> H0, H1 and H2.

<sup>18</sup> These additional nine HS codes refer to *Machines for the manufacture of Wafers* (HS 848610), *Machines for the manufacture of Semiconductors* (HS 848620), *Parts of Machines* (HS 848690), *Parts of Cells and Modules* (HS 854190), *DC Generators with output less than 750W* (HS 850131), *DC Generators with output equal or more than 750W* (HS 850132), *AC Generators* (HS 850161), *Inverters* (HS 850440) and *Part of Inverters* (HS 850490). The HS code 848620 refers to the machines required for the production of cells and modules.

Finally, HS codes related to feedstock are included focusing on the cSi based PV panel composition considering, in particular, the share of each relevant material in the total weight of the PV panel (Latunussa et al., 2016)<sup>19</sup>: *Low-purity Silicon* (HS 280469), *Hydrochloric acid* (HS 280610), *Back sheet* (HS 392062), *Solar glass* (HS 700719), *Silver paste* (HS 710692) and *Aluminium paste* (HS 760310), *Organic surface agents* (HS 340219) and *Aluminium structure* (HS 761090). Overall, we end up with 20 HS codes covering the whole PVSC.

### *The technological dimension*

Once traced the production side, we relied on patent data to identify the corresponding technologies. We consider patents belonging to the IP5<sup>20</sup> patent families, i.e., patents protected in at least two IP offices worldwide, one of which within the Five IP offices (IP5), namely the European Patent Office (EPO), the Japanese Patent Office (JPO), the United States Patent and Trademark Office (USPTO), the Korean Intellectual Property Office (KIPO) and the People's Republic of China National Intellectual Property Administration (CNIPA). In order to maximize the coherence with respect to the mapping based on trade data, we focus on the period 2007-2019 relying on three-year moving averages.<sup>21</sup>

As for the trade/production side, the technological mapping is based on a thorough literature review. Some studies make use of the Cooperative Patent Classification (CPC) to map PV patents. The CPC dedicates an entire section (Y02E) to environmental related patents (Angelucci et al., 2018), identifying solar PV technologies through the Y0E 10/70 class (Kangas et al., 2021). Unfortunately, the OECD patent database exploited in this exercise only provide the International Patent Classification (IPC)<sup>22</sup> codes used to distinguish across different technologies. Among the contributions relying on the IPC classification, Wu and Mathews (2012) analyse solar-related patents filed in Taiwan, Korea and China between 1984 and 2008, detecting 12 6-digit IPC<sup>23</sup> subclasses

---

<sup>19</sup> The weight considered within our PV supply chain amount to almost 94% of the total weight and include all the most relevant product and raw materials.

<sup>20</sup> In its 2016.01 version, the IPC divided the universe of patentable technologies into 8 main sections (A-H) under which, detailed levels of 130 classes (3-digit level), 639 subclasses (4-digit level), 7434 groups (5-digit level), and 65,152 subgroups (6-digit level). Patents are counted based on the fractional criteria which is applied for both inventor(s)' country of residence and IPC codes. Specifically, if one application has more than one inventor (IPC code), the application is divided equally among all of them and subsequently among their country of residence (IPC codes), avoiding thus double counting. We employ 4-digit IPC codes which is the most granular level of analysis possible given the availability of data.

<sup>21</sup> Notice that data on 2020 and 2021 have been dropped due to missing observations.

<sup>22</sup> <https://www.wipo.int/classifications/ipc/en/>

<sup>23</sup> 1G: E04D13 (Roof covering aspects of energy collecting devices); H01L21 (Processes or apparatus adapted for the manufacture or treatment of semiconductor or solid state devices or of parts thereof); H01L31 (Semiconductor devices sensitive to infra-red radiation, light, electromagnetic radiation of shorter wavelength or corpuscular radiation and adapted either for the conversion of the energy of such radiation into electrical energy or for the control of electrical energy by

linked to these technologies by distinguishing between three different technological trajectories (generations), i.e. 1G, 2G and 3G, which differ in terms of the material used for PV cells production (Conibeer, 2007; Rozanski et al., 2013).<sup>24</sup>

Focusing on 3G PV inventions, Lizin et al. (2013)<sup>25</sup> documents that the top 5 most frequently used IPC codes originate from the 7-digit “H01L-031” class.<sup>26</sup> More recently, Martínez-Sánchez et al. (2022) show that about 77% of 3G solar energy inventions are concentrated in the 4-digit groups F03G and F24S, i.e., “Steam engine plants, steam accumulators, engine plants not otherwise provided for, engines using special working fluids or cycle”. Trappey et al. (2019) apply a machine learning approach to examine 2,280 patents filled during 2008-2018 and retrieved from the Derwent Innovation search platform. Three distinct phases are considered: (i) energy generation, (ii) supply and (iii) storage systems for solar power. The analysis shows that the leading IPC classes are H02S (converting infrared radiation, visible light or ultraviolet light to generate electrical power), H02J (circuit devices or systems for power supply or distribution, and electrical energy storage systems), H01L (semiconductor devices or electric solid devices), F24J (heat generation devices). Exploiting the same statistical source, Sampiro et al. (2019) find that, out of 22,682 PV solar patents deposited during 2004–2013, the highest concentration of PV-related documents (77.95%) is related to the H01L<sup>27</sup> code, followed by the subgroups H02N (subclass: H02N-006/00) (8.24%) and E04D (subclass: E04D-013/18) (4.82%).

---

such radiation); H02N6 (Generators in which light radiation is directly converted into electrical energy); C30B15 (Single-crystal growth by pulling from a melt, e.g. Czochralski method); C30B28 (Production of homogeneous polycrystalline material with defined structure); C30B29 (Single crystals or homogeneous polycrystalline material with defined structure characterized by the material or by their shape).

2G: C23C14 (Coating by vacuum evaporation, by sputtering or by ion implantation of the coating forming material); C23C16 (Chemical coating by decomposition of gaseous compounds, without leaving reaction products of surface material in the coating, i.e. chemical vapor deposition (CVD) processes).

3G: H01G9/02 (Organic semiconducting electrolytes); H01L51

<sup>24</sup> The first PV cell generation (1G) is a silicon wafer, which adopts a crystalline silicon wafer to absorb sunlight. The second generation (2G) is thin-film cells, in which semiconductor materials are used to absorb light. The third PV cell generation (3G) adopts some emerging materials combined in tandem structures to increase conversion efficiency. Crystalline silicon PV technology currently accounts for 95% of the global market because of its high conversion efficiency and its extensive manufacturing base.

<sup>25</sup> More in specific, they focus on organic photovoltaic solar (OPV) cells are an alternative technology to silicon based solar cells from which differ due to their potential of high-speed processability at low temperatures in ambient atmosphere which allows for the production of large area solar cells on flexible, lightweight substrates using existing, easy techniques.

<sup>26</sup> Semiconductor devices sensitive to infra-red radiation, light, electromagnetic radiation of shorter wavelength, or corpuscular radiation and specially adapted either for the conversion of the energy of such radiation into electrical energy or for the control of electrical energy by such radiation

<sup>27</sup> Subgroups: H01L-031/042, H01L-031/18, H01L-031/04, H01L-031/052, H01L-031/048, H01L-031/00, H01L-031/05, H01L-031/0224

adopting an approach similar to that followed in this paper, Kalthaus (2019) used various combination of keywords to associate 4-digit IPC codes to the different stages of the PVSC, distinguishing between components - Photovoltaic cells, Modules and encapsulation and Balance of System - and PV technological generations (1G, 2G and 3G). In the same vein, Shubbak (2019) assigned IPC classes to six different PVSC components, i.e. Panels, Solar cells, Electronics, Energy storage, Portable powered devices, Testing and monitoring technology. Finally, relying on a broader definition of the PVSC (Zhang and Gallanger, 2016), Binz et al. (2017) associate IPC codes to three different segments of the PV production chain: up, mid and downstream. As a result, the number of PV-related IPC codes increases due to the wider definition of the SC.

**Table 1.** The PV supply chain: mapping production and technology

HS Code	Commodity description	GSC stage	IPC code	IPC notes
280461	Silicon, containing by weight not <99.99% of silicon	UP	C23C	CVD (chemical-vapor-deposition) method
280469	Silicon, containing by weight <99.99% of silicon	UP	C01B	Silicon; Compounds thereof
280610	Hydrogen chloride (hydrochloric acid)	UP	C30B	Production of homogeneous polycrystalline material with defined structure
848610	Machines & apparatus for the manufacture of boules/wafers	UP	B28D	Working stone or stone-like materials by sawing
<b>848620</b>	<b>Machines &amp; apparatus for the manufacture of semiconductor devices/of electronic integrated circuits</b>	<b>UP</b>	<b>H01L</b>	<b>Processes or apparatus specially adapted for the manufacture or treatment of these devices or of parts thereof</b>
848690	Parts & accessories of machines & apparatus within HS codes 848610 & 848620	UP	G01R	Arrangements for testing electric properties
381800	Chemical elements doped for use in electronics, in the form of discs/wafers/similar forms...	UP	H01L	Manufacture or treatment of semiconductor devices or of parts thereof
340219	Organic surface-active agents...	MID	H01L	Special surface textures
392062	Plates, sheets, film, foil & strip, of poly(ethylene terephthalate)...	MID	H01L	Protective back sheets
700719	Toughened (tempered) safety glass, n.e.s. in 70.07	MID	H01L	Double glass encapsulation
710692	Silver (incl. silver plated with gold/platinum), in semi-manufactured forms	MID	C03C	Glass frit mixtures having non-frit additions, containing free metals
760310	Powders of non-lamellar structure, of aluminium	MID	H01B	Conductive material dispersed in non-conductive organic material, comprising metals or alloys
761090	Aluminium Structures & parts of structures...	MID	H02S	Structural details of PV modules other than those related to light conversion, Frame structures
<b>854140</b>	<b>Photosensitive semiconductor devices, incl. photovoltaic cells whether/not assembled in modules</b>	<b>MID</b>	<b>H01L</b>	<b>PV modules or arrays of single PV cells</b>
854190	Parts of the devices of 85.41	MID	H01L	Electrodes
850131	DC generators (excl. generating sets), of an output not >750W	DOWN	H02S	Electrical components, comprising DC/AC inverter means associated with the PV module itself
850132	DC generators (excl. generating sets), of an output >750W but not >75 kW	DOWN	H02S	Electrical components, comprising DC/AC inverter means associated with the PV module itself
850161	AC generators (alternators), of an output not >75kVA	DOWN	H02S	Electrical components, comprising DC/AC inverter means associated with the PV module itself
<b>850440</b>	<b>Static converters</b>	<b>DOWN</b>	<b>H02M</b>	<b>Details of apparatus for conversion</b>
850490	Parts of the machines of 85.04	DOWN	H02J	Arrangements for parallelly feeding a single network by two or more generators, converters or transformers

Given the data at hand, our selection of patents combines Binz et al. (2017) and Shubbak (2019)'s IPC identification strategies, providing a final, comprehensive list of 4-digit codes. In particular, starting from the list proposed by Binz et al. (2017), we select those codes matching with the keywords used by Kalthaus (2019). We further check the robustness of our selection verifying the correspondence with the PV-related IPC codes identified by Shubbak (2019). The resulting selection comprehends 9 4-digit IPC subclasses including 214,458 IP5 patents filled during the period 2007-

2019. About 87% of these applications originate from China, EU, Korea, Japan and USA, lending further support to the country selection operated relying on trade data.

Finally, the matching between trade/product-level and patent data is completed by identifying two additional codes by means of a textual analysis. More specifically, for the HS codes with respect to which the literature does not provide a corresponding IPC class, we relied on relevant keywords to associate the appropriate patent code<sup>28</sup>. The final outcome of our mapping of the cSi PVSC is presented in Table 1 and results in the combination of 20 6-digit HS with 11 4-digit IPC codes.

### 3.2. *Measuring strategic dependencies and technological capabilities along the PV supply chain*

As disruptions in GVCs are becoming commonplaces, the empirical literature on SDs is flourishing (see, among others, Bonneau and Nakaa, 2020; Baldwin and Freeman, 2022; Arjona et al., 2023). In this work, we measure SDs building on Gehringer (2023), who has recently proposed an indicator, based on trade-data, to assess the global positioning of the EU. According to this author ‘reliance on foreign supply rises to the level of *strategic dependency* when three conditions are satisfied: 1) a country or region is a net importer of a good; 2) the country or region receives more than 50% of its total imports of the good from a single partner; and 3) the partner in question possesses at least 30% of the global trade share for the good. Thus, under strategic dependency, the exporter is a dominant player in the global market, and it is difficult for the importing country or region in question to readily obtain the product elsewhere. We rely on this definition proposing a synthetic indicator of import dependency - IDEP - which combines such three dimensions in the following way.

First, for each country  $i$  (China, the EU, Japan, Korea, and the US), segment  $v$  (up, mid and downstream), product  $k$  ( $k \in \text{HS 6-digit } \{1, \dots, 20\}$ ) and year  $t$  (2007-2021)<sup>29</sup>, we compute the Net Balance (NB) as:

$$NB_{i,v,k,t} = \frac{IMP_{i,v,k,t} - EXP_{i,v,k,t}}{IMP_{i,v,k,t} + EXP_{i,v,k,t}} (1)$$

This first component (1) is then standardized to vary between 0 and 1 providing information on the relative surplus/deficit of the considered countries along the PVSC, taking into account their size.

---

<sup>28</sup> Regarding *Silver paste* (HS 710692), for example, we used the keyword combination including ‘silver paste’, ‘metallization’ and ‘silver solar’ identifying the IPC class C03C as correspondence. The same procedure has been followed for *Aluminium structures*, which has been associated to the IPC class H02S referring to ‘structural details of PV modules other than those related to light conversion’.

<sup>29</sup> Notice that the analysis on PV-related patents is limited to 2019 due to a lack of observations.



The second component aims at capturing, for each country/segment/product, the import share stemming from the main supplier  $j$  ( $j \neq i$ ) (IMP-MS):

$$IMP - MS_{i,v,k,t} = \frac{IMP_{i,v,k,t}^j}{IMP_{i,v,k,t}} \quad (2)$$

Therefore, the second component (2) provides information on how relevant, in terms of import share, the main supplier  $j$  of country  $i$  is, for each segment/product of the PVSC.<sup>30</sup> The third component refers to the ‘market power’ of the main supplier  $j$ , capturing its global market share regarding the specific product  $k$ . Formally, the indicator reads as follows:

$$EXPSH_{j,v,k,t} = \frac{EXP_{j,v,k,t}}{TOT\ EXP_{v,k,t}} \quad (3)$$

The three components are then combined to obtain a synthetic indicator providing, for each country and year considered, a proxy of SD, at the segment/product level. To avoid misrepresenting countries’ relative positioning by giving too much weight to the second and third component<sup>31</sup>, we rely on the following formula:

$$IDEP_{i,v,k,t} = NB_{i,v,k,t} * \frac{(IMP - MS_{i,v,k,t} + EXPSH_{j,v,k,t})}{2} \quad (4)$$

The IDEP is thus the measure we build upon to assess SDs along the PV supply chain for the 5 main players taken into consideration over the period 2007-2021.<sup>32</sup>

In parallel, to measure countries technological positioning, we consider two main indicators. The first is the patent share over total patents by country  $i$  (China, Japan, Korea, USA and the EU), segment  $v$  (up, mid and downstream), IPC class  $w$  ( $w \in \text{IPC 6-digit } \{1, \dots, 11\}$ ) and year  $t$  (2007-2019). The second one is the Revealed Technology Advantage (RTA) indicator, allowing to capture the evolution of countries’ technological specialization. This indicator has been largely used in the literature to explore technological hierarchies and specialization in various domains (Meyer, 2006; Frietsch and Schmoch, 2010), including the PVSC (Fan et al., 2017). Formally, the  $RTA_{c,w,t}$  indicates whether

---

<sup>30</sup> As we aim at building a synthetic indicator usable for multiple empirical objectives, we decided not to impose a predefined threshold to identify SD (for example, ‘50% of total imports of a [specific] good from a single partner’, as in Gehringer, 2023).

<sup>31</sup> For example, avoiding the risk of considering highly vulnerable/dependent countries that, despite having a negligible deficit with respect to a specific product, rely on few (or a single) supplier which, in turn, holds a significant global market share. Even though such trade relationship may seem risky, the small size of the deficit tends to suggest relative autonomy and strong production capabilities.

<sup>32</sup> Notice that sensitivity analysis relying on slightly different formulation of the IDEP - including a weighted average according to which the three components (NB, IMP-MS and EXPSH) are weighted, respectively, by 0.5, 0.25 and 0.25 - have been carried out and empirical results are not affected. Results are provided in the Appendix.

country  $c$  is specialized in technology  $w$  in year  $t$  or not. More specifically, the RTA is computed on patent applications filed in each country in each year and compares the relative frequency of patenting in a given technology (IPC class)  $w$  in country  $c$ , with the relative frequency of patents in the same technology  $w$  at world level. Our aggregate is represented by the sum of patent filed by the group of countries considered for the analysis, that together are responsible for almost 95% of patents. Therefore, RTA is formulated as follows:

$$RTA_{c,w,t} = \frac{\frac{IP5_{c,w,t}}{\sum_{z=1}^Z IP5_{c,z,t}}}{\left( \frac{\sum_{z=1}^Z IP5_{ct}}{\sum_{z=1}^Z \sum_{c=1}^5 IP5_{ct}} \right)} \quad (5)$$

where  $IP5_{c,w,t}$  is the number of IP5 patent families of country  $c$  in technology  $w$  at year  $t$ ; while  $Z$  is the total number of technological fields. Thus, it follows that  $RTA_{c,w,t} = 1$  represents a threshold of specialization: when  $RTA_{c,w,t} > 1$ , the country is said to be specialized in technology  $w$  while the opposite holds when  $RTA_{c,w,t} < 1$ .

#### 4. Empirical analysis

Two are the main stylized facts characterising the recent history of the solar industry: massive growth<sup>33</sup> and increasing fragmentation of the SC (Zhang and Gallagher, 2016; Yuan, 2022). In what follows, we rely on our mapping procedure, unique database and indicators to assess: i) SDs across the PVSC, carrying out an ‘intelligence activity’ aimed at identifying key segments/products with respect to which countries are most vulnerable; ii) persistency/mobility of countries’ relative positioning; iii) the role of knowledge and technology, analysing the evolution of hierarchies and the relationship between technological capabilities and SDs; iv) role of technological capabilities and specialisation in shaping SDs.

##### 4.1. Assessing trade dependence along the PV supply chain

Our investigation of the PVSC starts with an analysis of the evolution of countries’ competitive positioning, focusing on export shares both total as well as distinguished by SC segment (down, mid and upstream). Figure A1 (Appendix) reports the distribution of the PV-related total export shares over the considered time period. Overall, the five economies included in our sample represent around the 70-80% of the global market, lending support to the robustness of the country selection. Some key patterns are documented: the “rise of China” - from 15% in 2007 to almost 25% export share in


---

<sup>33</sup> Between 2005 and 2019, international trade – imports plus exports – in some of the most important PV supply chain’s components almost tripled, from around 110 billion (USD) to more than 300 billion, with an annual growth rate of around 7% compared to 4% for manufactured goods in general (Gahrens et al., 2021).

2021 -, the relative stability of the EU and Korea, and the relative step back of the US (mild) and Japan (substantial).

The PVSC is distinguished between up, mid and downstream in Figure 1. China's performance is fundamentally driven by its consolidation in the down and, even more so, in the midstream of the VC. In these segments, virtually all other countries lose positions vis-à-vis China, with the EU experiencing a dramatic worsening of its relative position in the downstream. A slightly different pattern characterizes the upstream. Despite moderately increasing its export shares, in this segment China shows a less astonishing performance as compared to other segments. On the contrary, the EU reports a substantial increase in export share moving from around the 13% to close to 23%. This may reflect a 'complementarity' between the growing dominance of China in the mid and downstream, and the consolidation of the EU as supplier of key upstream goods (e.g., machineries).

**Figure 1.** PV supply chain by segment (up, mid and downstream), export shares (2007 vs 2021)



Source: Authors' elaborations based on the UN Comtrade database

We now move more closely to the assessment of SDs, by exploring the different components of the IDEP indicator (4). Figure 2 shows the evolution of the NB (1) in the various segments of the supply chain between 2007 and 2021 (left axis). To provide a more comprehensive picture, bilateral import shares are also included (right axis). The EU and the US display rather similar dynamics, mirroring the substantial consolidation of China, particularly in the mid and downstream segments. Both reports a deficit (the EU enters negative territory in 2014 concerning the downstream) in those segments with China being their main supplier.

**Figure 2.** Net balance and Import shares, by country and segment (2007-2021)




Source: Authors' elaborations based on the UN Comtrade database. Note: Net Balance is expressed in USD million.

However, while the Chinese import share keeps increasing in the EU case, a ‘decoupling’ dynamics seem to emerge with respect to the US. Such process might be partly related to the anti-dumping policies introduced by the US International Trade Commission (ITC) since 2012. In about a decade (2011-2021), in fact, the Chinese share of US imports fell from 35% to 8% in the midstream and from 40% to 25% in the downstream, which is still the most exposed segment as far as the United States is concerned.<sup>34</sup> As a result, the EU position may be considered relatively worse than the US one regarding SDs vis-à-vis China. In the midstream, the EU trade deficit reaches record levels, with a peak of 30 billion per year, paired with Chinese supplies which then came to exceed 60% of total EU imports and are currently projected towards 80% (in the downstream, the China’ share of EU imports gets close to 60% in 2021). On the other hand, China shows a growing deficit in the upstream (confirming the evidence provided in Figure 1) but, at the same time, a rather good degree of diversification as its three main suppliers (the EU, Japan and the US) hold fairly similar import shares.

<sup>34</sup> It should be noted that Chinese producers have managed to outsource production to other countries that are not affected by US anti-dumping policies, namely Taiwan (Nguyen and Kinnucan, 2019) but also Malaysia, Vietnam and Thailand.

Therefore, the Chinese' SDs in the upstream, albeit quantitatively consistent, are to a certain extent counterbalanced by a relative diversification in terms of suppliers. Japan stands out as the less dependent actor along the entire PVSC, with an impressive net export performance in the upstream and a fair hold in the segments where Chinese manufacturing dominance is felt most strongly. Finally, Korea, which shows a relatively small amount of trade in comparative terms, seems to be import dependent in the up and downstream segments (where China is, by far, the dominant supplier) while displaying a surplus in the midstream. We now inspect the evolution of the IDEP for each country and segment/product over the considered time period (2007-2021). Figure 3 provides an heatmap turning to dark red as SDs become more intense.<sup>35</sup>

**Figure 3.** Import Dependency Index (IDEP), by country, segment and product (2007-2021)



Source: Authors' elaborations based on the UN Comtrade. Note: the central value with respect to the colour distribution is identified in the median value of the IDEP. Note: data related to UMG silicon and wafer not available for 2020-2021.

This allows carrying out a first step towards what Edler et al. (2023) refers to as an 'intelligence activity', aiming at identifying critical industries/segments/products (and related trends) that might become the privileged target of specific industrial policy initiatives. Focusing on the upstream sector, China displays a certain degree of dependence with respect to *Polysilicon*, *Hydrochloric acid* and, more relevantly, *Machineries* (for wafer and cells). This is mirrored by the rather good position of the EU, which seems to maintain a stronghold in the PV-related machineries market, Japan, that, however, turns out to be rather import dependent on *Polysilicon* and *UMG silicon*, and the US. The latter seem fairly well positioned concerning *Polysilicon*, *UMG silicon* and *Hydrochloric acid*

<sup>35</sup> As a robustness check, the same Heatmap based on alternative computations of the IDEP – weighted averages using as weighting parameters of the three components, respectively, 0.5, 0.25 and 0.25 – is provided in the Appendix (Figure A2).


showing, in turn, a less rosy picture with respect to *Wafers* and *Machineries*. Korea, probably due to its relatively smaller size, reports a significantly more intense SD all across the upstream.

Moving to the midstream segment, the situation changes. China displays a strong position except for *Back sheet* and *Silver paste*, where a mild import dependency is detected. In turn, *Solar glass* seems to be an issue for all countries but China, as dark red tend to dominate almost everywhere over the considered time span. For the EU, the most serious SD regards *Cells and modules* (the most pivotal PV component). The Japanese performance is rather similar to the EU's although a certain degree of import dependency is documented with respect to *Aluminium paste* and *Chemicals for cells*. Remarkably enough, the US seems to have reduced their SDs, particularly regarding cells, modules and aluminium paste. As argued above, such dynamics could be partly related to the aggressive trade policy the US government has pursued during the last ten years, explicitly aimed at reducing SDs (Nguyen and Kinnucan, 2019). Even in the midstream, Korea displays a stronger SD as compared to the other countries with the only exception of *Aluminium structures* and *Part of cells*.

As it stands, the downstream segment of the PVSC seems to be the “China’s reign”. It shows an extremely low IDEP level with respect to all critical products which, in turn, are essential for the functioning of the whole SC (e.g., *Inverters*). On the other hand, the EU, Japan and Korea are strongly dependent with respect to both *Inverters* and *DC generators*. The US are also import dependent when it comes to *Inverters*, but are relatively better positioned as regards the other products included in the downstream segment.

SD is not only a matter of quantity, i.e. degree of import dependency, but also of quality or, more precisely, of the critical nature of goods/assets with respect to which a country has no productive autonomy (or is trapped in one-sided dependence). To address this crucial element, we now zoom-in on the products for which the stronger SDs are detected, also considering their relevance within the PV production chain. The analysis is carried out country-by-country following, as a first step, a simple data-driven criterion. For each country in the sample, we focus on those goods that fulfil one of the two conditions (Gehringer, 2023): i) a negative net balance of 2 billion (USD) or more ii) the main supplier import share equal or above 40%.

**Figure 4.** Strategic dependencies, by country and specific product (2007-2021)



Source: Authors' elaborations based on the UN Comtrade database.

Figure 4 reports the four products with respect to which our economies show the most intense SDs. The EU and the US show similarities in terms of SDs. As expected, their problems are to a large extent concentrated in the mid and downstream segments, where a relatively strong import dependence is detected concerning critical goods such as *Cells and modules* and *Inverters* (in addition to *Solar glass* and *DC generators* for the EU, *Solar glass* and *Wafers* for the US). In turn, significant differences emerge regarding the degree of diversification. While China is by far the main supplier of the EU with respect to all products for which a critical dependence is detected, the same is not true in the US case. With the exception of *Solar glass*, the US managed to reduce the relative share of

Chinese import and significantly diversifying its portfolio of suppliers.<sup>36</sup> China's situation is antipodal to that of the US and EU. Critical dependence is concentrated in the upstream, concerning *Machineries for wafers* and *Semiconductors* (in addition to *Parts of cells*). Similar to the US, however, China shows a quite diversified portfolio of suppliers, with the exception of Japan, holding a 50% share of the total Chinese imports of machineries for wafers. On the other hand, Japan shows a relatively small deficit all across the products included in the list of the most critical SDs. Nonetheless, a certain degree of import dependence and a significant market power of a single supplier (i.e., China) can be observed with respect to *Solar glass* and *Aluminium structures*. Finally, Korea's most serious SDs are dispersed along the entire SC and characterized by a very limited – degree of supplier diversification.

#### 4.2. Persistence and mobility along the PV supply chain: Transition Probability Matrices

To provide a more thorough examination of changing hierarchies along the PVSC, we rely on Transition Probability Matrices (TPM) assessing whether or not economies characterized by a high level of SD are able to break out of that condition. Persistence (mobility) is examined focusing on the IDEP terciles, the latter proxing, respectively, low (1<sup>st</sup> tercile), medium (2<sup>nd</sup> tercile) and high SD (3<sup>d</sup> tercile). Events are modelled by a three-state Markov chain with transition probabilities. Each term of the (3X3) TPM is the conditional probability  $p$  of moving from state (tercile)  $j$  to state  $i$ . Based on the estimated probabilities, different situations are in order:

- i. Transient SD (economies are likely to reduce their relative SD): if the sum of the lead diagonal terms is less than 1 there is no evidence of persistence;
- ii. Weak persistence (economies are likely to remain import dependent): if the sum of the main diagonal terms is more than 1 but some of these terms are lower than  $1/n$  (in this case 0.3);
- iii. Strong persistence (economies are highly likely to remain import dependent): if the sum of the main diagonal terms is more than 1 and all the main diagonal terms are larger than  $1/n$  (in this case 0.3).

Table 2 reports the TPMs. As expected, the IDEP indicator is characterized by a strong degree of persistence. Irrespective the considered segment of SC, the sum of the values on the main diagonal are always greater than 1 and all terms are larger than 0.3 (i.e. strong persistence). Mobility is relatively poor, as economies displaying a high (medium) degree of SD have a significantly low probability to improve their position: 10% and 1% probability to move from high to, respectively,

---

<sup>36</sup> It should be noticed, however, that part of the US diversification may have involved countries importing intermediate and final goods from China (e.g., Malaysia, Thailand and Vietnam).



medium and low SD; 13% probability to move from medium to low SD. A relatively higher probability to move from higher to lower levels of SD are detected in the mid and downstream while the opposite seems to emerge looking at the upstream of the SC.

**Table 2.** Transition Probability Matrix – IDEP terciles (whole sample)


PVSC				Upstream			
	<i>Low (1st tercile)</i>	<i>Medium (2nd tercile)</i>	<i>High (3d tercile)</i>		<i>Low (1st tercile)</i>	<i>Medium (2nd tercile)</i>	<i>High (3d tercile)</i>
<i>Low (1st tercile)</i>	0,87	0,13	0,00	<i>Low (1st tercile)</i>	0,84	0,16	0,00
<i>Medium (2nd tercile)</i>	0,13	0,77	0,09	<i>Medium (2nd tercile)</i>	0,06	0,88	0,06
<i>High (3d tercile)</i>	0,01	0,09	0,90	<i>High (3d tercile)</i>	0,00	0,08	0,92
Midstream				Downstream			
	<i>Low (1st tercile)</i>	<i>Medium (2nd tercile)</i>	<i>High (3d tercile)</i>		<i>Low (1st tercile)</i>	<i>Medium (2nd tercile)</i>	<i>High (3d tercile)</i>
<i>Low (1st tercile)</i>	0,86	0,14	0,00	<i>Low (1st tercile)</i>	0,90	0,10	0,01
<i>Medium (2nd tercile)</i>	0,18	0,72	0,10	<i>Medium (2nd tercile)</i>	0,16	0,70	0,13
<i>High (3d tercile)</i>	0,01	0,08	0,91	<i>High (3d tercile)</i>	0,01	0,11	0,88

Therefore, while the path-dependent nature of SDs is confirmed, the possibility of changing its relative position seems to be more plausible in segments characterized by a relatively lower technological intensity (i.e., mid and downstream). A potential explanation may point to the lower complexity of the activities characterizing these segments which, in turn, could make it relatively easier to expand production capacity. As a result, it is necessary, on the one hand, to further investigate the role of technological capabilities in explaining hierarchies and movements along the production chain. On the other, it confirms the urgency of implementing selective industrial policies capable of mitigating SDs that, given their path-dependent nature, may become very difficult to reverse.

#### 4.3. The role of knowledge and technology

The evolution of technological capabilities along the PVSC is investigated looking, first, at the dynamics of patent shares relying on the IPC classes included in the mapping reported in Table 1. Second, we focus on changes in relative technological specialization using the RTA index. Figure 5 displays, for the five economies included in our sample, a three-year moving average of PV-related patent shares referring to the period 2007-2019. Given their inherently cumulative nature, knowledge stocks (as proxied by patent shares) tend to show (relatively) stable distributions. When it comes to the PV industry, however, things have changed significantly over the last two decades.


**Figure 5.** PV-related Patent share by country (three-year moving average, 2007-2019)



Source: Authors' elaborations based on the OECD Patent database, IP5 patent families.

First, in line with the evidence emerging from the analysis of trade data, a fast and substantial consolidation of the Chinese position is observable. As for the remaining players, the hierarchy has not changed significantly. The EU moderately reduced its share, similarly to what happened in the US. At the top of the ranking, Japan retains its leadership and Korea does the same with reference to its relative patent share.

**Figure 6.** Revealed Technology Advantage (RTA) index, by country (2007-2019)



Source: Authors' elaborations based on the OECD Patent database, IP5 patent families.

To further inspect the relative positioning of countries, we now focus on specialization patterns (Figure 6). Japan and, especially, Korea turn out to be highly specialised in solar technologies. China, in turn, is consolidating its position also in terms of relative specialization, with the RTA moving above 1 since 2012. On the contrary, both the US and the EU are experiencing a pattern of de-

specialization remaining well below 1 all along the considered time span. Therefore, the main patterns reported concerning trade dynamics and SDs seem to find confirmation as far as technological capabilities and relative specialization in solar technologies are concerned. Mirroring the analysis carried out with respect to the IDEP (Figure 3), the long-term evolution of countries' relative technological specialization is investigated looking at different segments/products of the PVSC. For each country/product pair, the heatmap (Figure 7) turns dark blue as the specialization in corresponding technologies is relatively more intense; while the opposite holds when the colour is orange or, at the extreme, dark orange.<sup>37</sup>

Focusing on the upstream, Japan shows the highest level of specialization (apart from technologies related to *Generators*), followed by Korea which, however, reports relatively lower RTA levels concerning *Polysilicon*, *UMG silicon* and *Hydrochloric acid*-related technologies. The EU and, even more so, the US are characterized by a relatively poor specialization (with the exception of *Machines for wafer* and *Parts of machines* in the EU case). That is, the relatively good positioning of both countries in the upstream segment concerning trade dynamics (see Figure 3) does not seem to be paralleled by an equally good performance in terms of technological specialization. On the contrary, China is characterized by a process of growing specialization in those technological fields, i.e. those related to *Machineries for cells and wafers*, where it still displays a certain degree of import dependence (see Figure 4). This could mean that, in parallel with a diversification strategy aimed at reducing SDs in the upstream, China is performing a technological catching up which may help strengthening its productive capabilities in the same segment of the SC.

In the midstream, the hierarchical structure is fairly similar. Japan stands out as the most specialized (excluding technologies related to aluminium paste) followed by Korea which, in turn, displays some weaknesses regarding *Silver paste* and, again, *Aluminium*. Interestingly, the US and the EU show a mild degree of specialization with respect to technologies connected to *Silver paste* and *Aluminium structures* while are both highly de-specialized across the rest of the segment. China seems to be experiencing a substantial catching-up regarding all technologies, except those related to *Silver* and *Aluminium paste*.


Finally, the hierarchy changes as we move towards the downstream. China is taking over Japan as the most specialized economy in solar technologies. Japan and Korea, in turn, show a significantly

---

<sup>37</sup> Notice that a more precise investigation of the linkage between technology (patent) classes and product codes could be possible as far as a more granular (text-based) analysis, based on more disaggregated patent-level information, would be carried out. At present, data limitations do not allow this type of investigation.

lower level of specialization with the exception of, respectively, *Inverters* (Japan) and *Parts of inverters* (Korea). The EU has a good level of specialization regarding *DC* and *AC generators* while it is relatively weak when it comes to inverters-related technologies. Such weakness matches with the import dependence (vis-à-vis China) reported in Figure 4. Analogously, the US are de-specialized all along the downstream with the lowest levels of RTA registered with respect to *Inverters*.

**Figure 7. RTA index, by country, segment and product (2007-2019)**



Source: Authors' elaborations based on the OECD Patent database, IP5 patent families. Note: the central value with respect to the colour distribution is identified in the unity.

The joint analysis of indicators based on trade and patent data allows us to pursue a further step in our 'strategic intelligence' analysis, by investigating the relationship between technological capabilities and specialization, on the one hand, and degree of SDs along the PVSC. To this end we, first, descriptively combine the analysis of IDEP and RTA indicators. Figure 8 provides, for EU, USA and China (2019), a 4-dial diagram characterizing products as follows: i) high IDEP-low RTA (i.e. critical situation needing action to strengthen both production and technological capabilities), top-left; ii) high IDEP-high RTA (i.e. reinforcing production capacity may be necessary but potentially facilitated by technological specialization), top-right; iii) low IDEP-high RTA (i.e. economies are on the safe side as both productive and technological capabilities are available), bottom-right; iv) low IDEP-low RTA (i.e. despite SDs are not detected poor technological specialization may expose to risks related to unexpected changes concerning process and product innovations), bottom-left quadrant.


Focusing on the top-left quadrant, the EU faces a highly critical situation with respect to *Cells and modules*, *Solar glass* and *Inverters*. A similar situation is detected looking at the US which, however, are relatively better positioned concerning *Cells* and worse off as regards *Wafers* and related

machineries. These areas are those for which selective industrial and innovation policies seems to be more urgent. Moreover, the evidence provided in Figure 8 highlights, again, the relative vulnerability of the US, only 2 goods (*Silver paste* and *Polysilicon*) are situated in the bottom right of the diagram (i.e. low IDEP-high RTA). The same outcome is found for EU countries, with again only to products (*Polysilicon* and *DC generators*) in the “safer” part of the diagram.


In contrast, for China most of the considered products belong to the bottom-right quadrant, while the critical goods for which China shows the most worrisome levels of SD (*Machines for wafers* and *Machine for cells*) are counterbalanced by high RTAs in the corresponding technologies. A signal of a directed effort of China to close the gap and gain competitiveness also in these segments. Moreover, the only three goods in the top-left quadrant are barely critical (low technological complexity), showing a level of IDEP that is just above the median.

The same information are reported for Japan and Korea in the Appendix (Figure A3), evidencing that Japan has only two products facing a highly critical situation (high IDEP-low RTA) while Korea is badly positioned as regards *Inverters*, *Machineries for wafers* and *Hydrochloric acid*.


**Figure 8.** A four dials representations of the IDEP-RTA relation (2019), Europe, USA and China



## USA



## China



Source: Authors' elaborations based on the UN Comtrade database and the OECD Patent database - IP5 patent families. Note: the four dials for each country are obtained using the median value for the IDEP index and the unity for the RTA index.

#### 4.4. Dynamic Ordered Probit Model

We now explore the probability of a country to move from lower to higher level of SD applying a *discrete choice ordered model approach* and controlling for both persistence and innovation patterns. We rely on a Dynamic Ordered Probit model based on the estimator proposed by Wooldridge (2005). Though TPMs (Tab.2) provide summary evidence on the relative persistence of regional SD patterns with respect to key commodities of the PV chain, the following analysis allows for a better identification of the actual influence of path-dependency and the role of PV-related technological capabilities.

The dependent variable is represented by IDEP terciles ( $SD_{i,k,t}$ ), i.e. an ordered variable assuming value 1, 2 or 3 in period  $t$  if a country  $i$  belongs, for a specific commodity  $k$ , respectively to the first, second or third tercile of the IDEP distribution. Specifically,  $SD_{i,k,t}$  is regressed against its past realization ( $SD_{i,k,t-1}$ ), its initial value ( $SD_{i,k,t_0}$ ) and technological capabilities proxied by patent shares ( $PAT - SH_{i,k,t}$ ) and technological specialization ( $RTA_{i,k,t}$ ). To handling, as much as possible, with endogeneity problems related to observable and unobservable individual heterogeneity  $u_i$ , we follow Wooldridge (2005). Accordingly, we specify the distribution of the unobserved component  $u_i$  conditional on  $SD_{i,k,t_0}$  and on the country-specific time average technological controls. Said otherwise, we apply the first ‘realisation’ of the the depende variable ( $SD_{i,k,t_0}$ ) and the time-averaged covariates ( $\bar{X}_i$ ) for predicting countries’ individual effect. We also include dummies variables indicating the PV-SC positioning of commodity  $k$  (Upstream, Midstream and Downstream) and control for country and year fixed effects. Therefore, the main specification runs as follows:

$$SD_{i,k,t} = \alpha_{i,k,t} + \beta * SD_{i,k,t_0} + \gamma * SD_{i,k,t-1} + \delta * PAT - SH_{i,k,t} + \eta * RTA_{i,k,t} + \theta * \bar{X}_{i,k,t} + \varepsilon_{i,k,t} \quad (6)$$

Standard errors are clustered at the country-level to account for structural heterogeneities, particularly those related to different industrial policy strategies. Results reported in Table 3 shows confirm the path-dependent nature of the SD indicator: economies showing a high (low) level of SD are likely to remain in this condition. At the broad SC level (first column), no significant relationship between SD and technological variables is detected. Things change when the distinction between SC segments is introduced, though. In the upstream, a strong technological specialization is negatively correlated with the SD indicator: for those products for which economies show a high RTA value, the probability of decreasing the level of SDs also seems to be higher. The same is not true in the mid and downstream, where no significant correlation between the RTA and the probability of increasing SD is detected.

**Table 3.** Dynamic Ordered Probit – IDEP (terciles) vs patent shares and RTA

	<b>TOTAL PV</b>	<b>Upstream</b>	<b>Midstream</b>	<b>Downstream</b>
	<i>b/se</i>	<i>b/se</i>	<i>b/se</i>	<i>b/se</i>
IDEP_tercile_T0	0.605*** (0.080)	1.021*** (0.185)	0.316** (0.139)	1.299*** (0.351)
IDEP_tercile_T-1	1.995*** (0.220)	1.662*** (0.227)	2.100*** (0.179)	2.111*** (0.194)
RTA	0.046 (0.128)	<b>-1.205**</b> <b>(0.579)</b>	0.006 (0.512)	0.506 (0.486)
PAT-SHARE	0.464 -1.196	3.671 -3.938	3.045 -4.093	-4.751 -5.103
Upstream	0.420*** (0.134)			
Midstream	0.325*** (0.121)			
Downstream	<i>baseline</i>			
Countries	<i>yes</i>	<i>yes</i>	<i>yes</i>	<i>yes</i>
Years	<i>yes</i>	<i>yes</i>	<i>yes</i>	<i>yes</i>
cut1	4.275*** (0.237)	4.910*** (0.453)	3.642*** (0.339)	4.248*** (0.370)
cut2	6.643*** (0.397)	6.870*** (0.620)	5.868*** (0.364)	8.075*** (0.544)
Obs	1.200	420	480	300
Adj. R-Square	0.5798	0.5959	0.5458	0.7106

Note: the time average of patent share and RTA are included.

Plausibly, where products are more complex and innovation represents a key competitive ingredient (upstream), technological specialization is associated to stronger productive capabilities and, hence, lower SDs. As a result, selective innovation policies may be usefully complemented to interventions aimed at increasing productive capacity. In turn, in the mid and downstream, the problem seems to be the loss of productive capacity and the path-dependent nature of SDs. As economies resize their manufacturing capacity, this condition can get worse regardless their technological specialization. Although simple and providing no causal evidence, this model confirms that SDs are a major policy concern because, other things being equal, economies can easily continue to worsen their relative position once a dependence has been developed.

The relationship between SD and technological specialization is further investigated interacting RTA and PAT-SHARE with country dummies, testing whether technological capabilities play a differentiated role given structural heterogeneities and country-specific positioning along the PV SC. According to our estimates (Table 4), only China seems to benefit from technological specialization: the coefficient associated to the RTA interaction term is negative and statically significant, while no significant results are obtained with respect to the other countries included in the sample. This result is relevant as it confirms the strong complementarity between productive and technological



capabilities: in order to benefit from the latter in terms of lower SDs, the former need to be in parallel reinforced.

**Table 4.** Dynamic Ordered Probit – IDEP (terciles) vs patent shares and RTA

	<b>CHINA</b>	<b>EU</b>	<b>JAPAN</b>	<b>KOREA</b>	<b>USA</b>
	<i>b/se</i>	<i>b/se</i>	<i>b/se</i>	<i>b/se</i>	<i>b/se</i>
IDEP_tercile_T0	0.601*** (0.078)	0.616*** (0.080)	0.627*** (0.082)	0.588*** (0.072)	0.628*** (0.096)
IDEP_tercile_T-1	1.986*** (0.219)	2.004*** (0.220)	1.999*** (0.221)	1.995*** (0.219)	2.002*** (0.223)
RTA	0.322 (0.329)	0.069 (0.090)	0.035 (0.082)	-0.112 (0.223)	0.062 (0.080)
Country dummy	<b>0.369**</b> <b>(0.187)</b>	-0.223 (0.143)	<b>0.635***</b> <b>(0.070)</b>	-0.024 (0.130)	<b>-0.279**</b> <b>(0.136)</b>
Country dummy#RTA	<b>-0.672**</b> <b>(0.278)</b>	0.497 (0.731)	0.038 (0.598)	0.145 (0.355)	1.159 -2.434
PAT-SHARE	0.117 (-1.829)	0.080 (-1.312)	0.933 (-1.797)	0.732 (-1.336)	0.369 (-1.618)
Country dummy#PAT-SHARE	0.376 (-2.061)	-1.132 (-3.099)	-2.491 (-2.423)	1.560 (-3.575)	-4.020 (-13.281)
Upstream	0.466*** (0.119)	0.429*** (0.118)	0.381*** (0.126)	0.446*** (0.118)	0.416*** (0.130)
Midstream	0.314** (0.135)	0.357** (0.140)	0.357*** (0.129)	0.307** (0.132)	0.347*** (0.111)
Downstream	<i>baseline</i>	<i>baseline</i>	<i>baseline</i>	<i>baseline</i>	<i>baseline</i>
Years	<i>yes</i>	<i>yes</i>	<i>yes</i>	<i>yes</i>	<i>yes</i>
cut1	4.317*** (0.253)	4.370*** (0.296)	4.193*** (0.220)	4.193*** (0.220)	4.423*** (0.312)
cut2	6.695*** (0.398)	6.734*** (0.413)	6.566*** (0.395)	6.566*** (0.395)	6.787*** (0.426)
Obs	1.200	1.200	1.200	1.200	1.200
Adj. R-Square	0.5810	0.5781	0.5791	0.5800	0.5783

Note: the time average of patent share and RTA are included.

## 5. Conclusions and policy implications

This paper sheds new light on the solar industry, providing a detailed analysis of its supply chain concerning both SDs and technological capabilities. The analysis confirms the importance of looking at these two dimensions in all relevant segments of the SC in order to identify areas (i.e. PV segments, product and technological domains where such capabilities need to be urgently strengthened) which can be considered ‘critical’ according to the TS perspective (Crespi et al., 2021; Edler et al., 2023).

The contribution is manifold and can be summarized as follows. First, we provide a fine-grained mapping of the PVSC combining both production/trade and technology. Second, we assess the long-term evolution of trade and technological hierarchies within the SC, highlighting processes of

polarization and growing SDs. Third, we zoom-in on highly critical areas (i.e. products and related technologies), carrying out a ‘strategic intelligence activity’ (Edler et al., 2023) which may prove useful to tailor trade, industrial and innovation policies. Fourth, we document, by means of TPMs, the strong path-dependency of the hierarchies characterizing the PVSC, as well as the heterogeneous degree of ‘mobility’ across segments. Fifth, we explore the relationship between technological specialization and productive capabilities to see whether and to what extent reinforcing the former may help mitigating SDs. Our intelligence allows identifying the critical areas where industrial and innovation policies are more urgently needed. Finally, the DOP model shows that a relatively strong technological specialization may help reducing SDs, but only in the upstream segment.

More specifically, the empirical evidence - focusing on China, the EU, Japan, Korea, and the US analysed over the 2007-2021 period - highlights strong SDs in the EU, especially in the mid and downstream segments of the PVSC. At the same time, a certain degree of ‘industrial resilience’ – and a possible source of leverage within the SC – is detected in the upstream segment, particularly regarding PV-related machineries. From a technological viewpoint, the EU still has some specialization with respect to generators and machineries, but is running out of time as China is close to catch-up. The US situation is even worse, despite some diversification of the portfolio of suppliers, especially in the downstream.

On the other hand, China is raising as one of the new dominant players of the SC, at least concerning trade dynamics. Most countries report substantial bilateral SDs vis-à-vis the People’s Republic, particularly concerning critical mid and downstream products (e.g., solar Cells and modules, Wafers, Inverters). In terms of technological specialization, China is still closing the gap. However, its fast scaling up in the upstream, as in the case of machineries-related technologies, casts doubts on the ability of its competitors and, in particular, of the EU - once one of the undisputed technological leader within the PVSC (Buigues and Cohen, 2023) - to maintain its positions in that segment and, hence, to reduce its SD. Remarkably enough, Japan still maintains a leadership position in the industry, given its rather good trade performance, combined with an impressive technological specialization, characterizing the entire SC, but especially in the up and midstream segments.

Our results have relevant implications both in terms of policy theory and practice. The evidence suggests that once recognized the importance of issues related to TS and SDs, these aspects should be included in the conceptualization, design and implementation of policy objectives and instruments. This is particularly relevant in a context wherein the renewed relevance of once neglected concepts, such as mission oriented (Mazzucato 2018; Wittmann et al., 2021) and transformative policies (Steward, 2012; Haddad et al., 2022), is bringing selective/strategic industrial policies back on top of


the policy agenda. In this direction, paradigmatic examples include the EU Solar strategy and the Green Deal Industrial plan, as both initiatives aim at strengthening the EU's productive and technological capabilities in strategic sectors, adopting a vertical and selective approach to industrial policy.

In particular, our results have important implications for European policies aiming at achieving a sustainable transition and the full decarbonization of the economy, as the evidenced EU SDs in the solar industry are also the result of radically different industrial policies with respect to key international players (Buigues and Cohen, 2023). Though, in principle, environmental targets can be achieved by adopting a “buy from abroad” strategy both in terms of the development of environmental technologies and the production of green goods and services, this option obviously entails relevant consequences from the perspective of technological and productive SDs. In this regard, our analysis suggests that the EU climate strategy should fully integrate the objective of fostering the European technological and production capabilities needed for the green transformation of the economy.


As suggested by Edler et al. (2023), TS does not represent an end in itself, but a mean to achieving the central objective of innovation policy – sustaining national competitiveness and building capacities for transformative policies. In this respect, the increasing attention on issues related to SDs requires adapting the existing framework of industrial and innovation policies to consistently account for these issues, which means also achieving higher level of coordination with trade and foreign policies. Within this framework, the PV industry will be one of the most relevant candidates to apply and test the effectiveness of a new policy approach where climate objectives, technological sovereignty and strategic autonomy objectives go hand in hand to maximize both sustainability, security and growth opportunities from the green transformation of the economy.

# Appendix


**Figure A1.** The evolution of export shares in the PV global market



**Figure A2.** Import Dependency Index (IDEP) weighted, by country, segment and product (2007-2021)



**Figure A3.** A four dials representations of the IDEP-RTA relation (2019) – Japan and Korea



## References

- Algieri, B., Aquino, A., and Succurro, M. (2011). Going “green”: trade specialisation dynamics in the solar photovoltaic sector. *Energy Policy*, 39(11), 7275-7283.
- Altenburg, T., Corrocher, N. and Malerba, F. (2022). China's leapfrogging in electromobility. A story of green transformation driving catch-up and competitive advantage. *Technological Forecasting and Social Change*, 183, 121914.
- Andreoni, A. and Chang, H. J. (2019). The political economy of industrial policy: Structural interdependencies, policy alignment and conflict management. *Structural change and economic dynamics*, 48, 136-150
- Angelucci, S., Hurtado-Albir, F. J., & Volpe, A. (2018). Supporting global initiatives on climate change: The EPO's “Y02-Y04S” tagging scheme. *World Patent Information*, 54, S85-S92.v
- Arjona, R., Connell, W. and Herghelegiu, C. (2023). An enhanced methodology to monitor the EU’s strategic dependencies and vulnerabilities, *Single Market Economics Papers*, EU Commission.
- Baldwin, R., and Freeman, R. (2022). Risks and global supply chains: What we know and what we need to know. *Annual Review of Economics*, 14, 153-180.
- Ball, J., Reicher, D., Sun, X. and Pollock, C. (2017). The New Solar System: China’s Evolving Solar Industry and Its Implications for Competitive Solar Power in the United States and the World. *Stanford Steyer-Taylor Center for Energy Policy and Finance*, Stanford, CA.
- Bellanova, R., Carrapico, H. and Duez, D. (2022). Digital/sovereignty and European security integration: an introduction, *European Security*, 31:3, 337-355, DOI: 10.1080/09662839.2022.2101887
- Benda, V. and Černá, L. (2020). PV cells and modules—State of the art, limits and trends. *Heliyon*, 6(12), e05666.
- Binz, C., Tang, T., and Huenteler, J. (2017). Spatial lifecycles of cleantech industries—The global development history of solar photovoltaics. *Energy Policy*, 101, 386-402.
- Binz, C., and Truffer, B. (2017). Global Innovation Systems—A conceptual framework for innovation dynamics in transnational contexts. *Research policy*, 46(7), 1284-1298.
- Bonneau, C., and Nakaa, M. (2020). Vulnérabilité des approvisionnements français et européens. *Journal of regional science*, 57 (2020): 3.
- Buigues, P.A, and Cohen, E. (2023). L’Europe entre États-Unis et Chine: aides massives et nouvelle guerre commerciale, *Telos*, 18th April.
- Caravella S., Crespi F., Costantini V. (2021). Mission-oriented policies and technological sovereignty: The case of climate mitigation technologies, *Energies* 14 (20), 6854.
- Carrara S., Alves Dias P., Plazzotta B. and Pavel C. (2020). *Raw materials demand for wind and solar PV technologies in the transition towards a decarbonised energy system*, EUR 30095 EN, Publication Office of the European Union, Luxembourg.
- Celi, G., Ginzburg, A., Guarascio, D. and Simonazzi, A. (2018). *Crisis in the European monetary union. A core-periphery perspective*. Routledge: London 2018.

- Celi, G., Guarascio, D. and Simonazzi, A. (2020). A fragile and divided European Union meets Covid-19: further disintegration or ‘Hamiltonian moment’?. *Journal of Industrial and Business Economics*, 47(3), 411-424.
- Celi, G., Guarascio, D., Reljic, J., Simonazzi, A. and Zezza, F. (2022). The Asymmetric Impact of War: Resilience, Vulnerability and Implications for EU Policy. *Intereconomics*, 57(3), 141-147.
- Cerra R. and Crespi F. (2021). Sovranità Tecnologica: elementi per una strategia italiana ed europea, Centro Economia Digitale, Roma, <https://www.centroeconomiadigitale.com/wp-content/uploads/2021/03/CED-Sovranita-Tecnologica.pdf>.
- Chen, C., Jiang, Z., Li, N., Wang, H., Wang, P., Zhang, Z., Ma, F, Huang, Y., Lu X., Wei J., Qi J., Chen W. and Chen, W. Q. (2022). Advancing UN Comtrade for physical trade flow analysis: review of data quality issues and solutions. *Resources, Conservation and Recycling*, 186, 106526.
- Conibeer, G. J., and Richards, B. S. (2007). A comparison of PV/electrolyser and photoelectrolytic technologies for use in solar to hydrogen energy storage systems. *International Journal of Hydrogen Energy*, 32(14), 2703-2711.
- Costantini, V., Crespi, F. and Paglialunga, E. (2018). The employment impact of private and public actions for energy efficiency: Evidence from European industries. *Energy Policy*, 119, 250-267.
- Couture, S. and Toupin, S. (2019). What does the notion of “sovereignty” mean when referring to the digital?, *New media & society*, 21(10), 2305-2322.
- Crespi, F. and Guarascio, D. (2019). The demand-pull effect of public procurement on innovation and industrial renewal. *Industrial and Corporate Change*, 28(4), 793-815.
- Crespi F., Caravella S., Menghini M. and Salvatori C. (2021). European Technological Sovereignty: An emerging framework for policy strategy, *Intereconomics* 56 (6), 348-354.
- Cucignatto, G., and Garbellini, N. (2022). Lo scontro per le materie prime e la necessità di una nuova politica industriale. *Moneta e Credito*, 75(298).
- Da Ponte, A., Leon, G. and Alvarez, I. (2022). Technological sovereignty of the EU in advanced 5G mobile communications: An empirical approach, *Telecommunications Policy*. <https://doi.org/10.1016/j.telpol.2022.102459>.
- Dosi, G., Riccio, F. and Virgillito, M. E. (2021). Varieties of deindustrialization and patterns of diversification: why microchips are not potato chips. *Structural Change and Economic Dynamics*, 57, 182-202.
- Dosi, G. and Tranchero, M. (2021). *The Role of Comparative Advantage, Endowments, and Technology in Structural Transformation*. In: Alcorta, L., Foster-McGregor, N., Verspagen, B., and Szirmai, A. (Eds.). *New perspectives on structural change: Causes and consequences of structural change in the global economy*. Oxford University Press.
- Drezner, D. W., Farrell, H. and Newman, A. L. (Eds.). (2021). *The uses and abuses of weaponized interdependence*. Brookings Institution Press.

- Edler, J., Blind, K., Frietsch, R., Kimpeler, S., Kroll, H., Lerch, C., Reiss, T., Roth, F., Schubert, T., Schuler, J. and Walz, R. (2020). Technology sovereignty. From demand to concept, *Fraunhofer Institute for Systems and Innovation research*.
- Edler, J., Blind, K., Kroll, H. and Schubert, T. (2023). Technology sovereignty as an emerging frame for innovation policy. Defining rationales, ends and means, *Research Policy*, 52(6), 104765.
- European Commission (2019a). *Speech by President-elect von der Leyen in the European Parliament Plenary on the occasion of the presentation of her College of Commissioners and their programme*, [https://ec.europa.eu/commission/presscorner/detail/en/SPEECH\\_19\\_6408](https://ec.europa.eu/commission/presscorner/detail/en/SPEECH_19_6408)
- European Commission (2019b). *Questionnaire to the Commissioner-Designate for the Internal Market* Thierry Breton,  
[https://ec.europa.eu/commission/commissioners/sites/commcwt2019/files/commissioner\\_ep\\_hearings/answers-ep-questionnaire-breton.pdf](https://ec.europa.eu/commission/commissioners/sites/commcwt2019/files/commissioner_ep_hearings/answers-ep-questionnaire-breton.pdf)
- European Commission (2021). Strategic dependencies and capacities, *Staff Working Document 352*.
- European Commission (2022). EU strategic dependencies and capacities: second stage of in-depth reviews, *Staff Working Document 41*.
- Fan, X., Liu, W. and Zhu, G. (2017). Scientific linkage and technological innovation capabilities: international comparisons of patenting in the solar energy industry. *Scientometrics* 111 (1), 117–138.
- Farrell, H., and Newman, A. L. (2019). Weaponized interdependence: How global economic networks shape state coercion. *International Security*, 44(1), 42-79.
- Frietsch, R. and Schmoch, U. (2010). Transnational patents and international markets. *Scientometrics*, 82 (1), 185–200.
- Gahrens, S., Salgado, A. and Steinfatt, K. (2021). *Trading Into a Bright Energy Future*. World Trade Organization (WTO).
- Garlet, T.B., Ribeiro, J.L.D., de Souza Savian, F. and Siluk, J.C.M., (2020). Value chain in distributed generation of photovoltaic energy and factors for competitiveness: a systematic review. *Solar Energy*, 211, 396–411.
- Gaulier, G., and Zignago, S. (2010). BACI: International Trade Database at the Product-Level (the 1994-2007 version). *Centre d'Etudes Prospectives et d'Informations Internationales*.
- Gehlhar, M. (1996). Reconciling bilateral trade data for use in GTAP. *GTAP Technical Papers n. 11*.
- Gehring, A. (2023). Calibrating the EU's Trade Dependency. *Survival*, 65(1), 81-96.
- Gjesvik, L. (2022). Private infrastructure in weaponized interdependence. *Review of International Political Economy*, 1-25.
- Guarascio, D., Reljic, J., Cucignatto, G., Celi, G. and Simonazzi, A. (2023). *Between a rock and a hard place. Long-term drivers of EU structural vulnerability* (No. 237). University of Rome La Sapienza, Department of Economics and Law.
- Guo, Y., Zheng, R. and Zhang, H. (2023). Tantalum trade structural dependencies are what we need: A perspective on the industrial chain. *Resources Policy*, 82.



- Haddad, C. R., Nakić, V., Bergek, A. and Hellsmark, H. (2022). Transformative innovation policy: A systematic review. *Environmental Innovation and Societal Transitions*, 43, 14-40.
- Hajdukovic, I. (2020), “The Impact of International Trade on the Price of Solar Photovoltaic Modules: Empirical Evidence”, Working Papers hal-02488067, HAL.
- Huang, P., Negro, S. O., Hekkert, M. P. and Bi, K. (2016). How China became a leader in solar PV: An innovation system analysis. *Renewable and Sustainable Energy Reviews*, 64, 777-789.
- IEA (2021), *The Role of Critical Minerals in Clean Energy Transitions*.
- IEA (2022a). *Special Report on Solar PV Global Supply Chains*.
- IEA (2022b). *Trend in Photovoltaic Application 2022*, Photovoltaic Power System Programme. Available at: [https://iea-pvps.org/wp-content/uploads/2023/02/PVPS\\_Trend\\_Report\\_2022.pdf](https://iea-pvps.org/wp-content/uploads/2023/02/PVPS_Trend_Report_2022.pdf)
- IEA (2023). *Renewables 2022. Analysis and forecast to 2027*.
- Jäger-Waldau, A. (2013). PV Status Report 2013. *JRC Scientific and Policy Report*, European Commission. Brussels.
- Jäger-Waldau, A., Kougias, I., Taylor, N. and Thiel, C. (2020). How photovoltaics can contribute to GHG emission reductions of 55% in the EU by 2030. *Renewable and Sustainable Energy Reviews*, 126, 109836.
- Jansen, J., Jäger P. and Redeker, N. (2023). *For climate, profits, or resilience? Why, where and how the EU should respond to the Inflation Reduction Act*, Hertie School Policy Brief May 2003.
- Juncker, J.C. (2016). *Speech at the annual general meeting of the Hellenic federation of enterprises*, Athens, 21 June.
- Kalthaus, M. (2019). Identifying technological sub-trajectories in patent data: the case of photovoltaics. *Economics of Innovation and New Technology*, 28(4), 407-434.
- Kangas, H. L., Ollikka, K., Ahola, J., & Kim, Y. (2021). Digitalisation in wind and solar power technologies. *Renewable and Sustainable Energy Reviews*, 150, 111356.
- Kleimann, D., Poitiers, N., Sapir, A., Tagliapietra, S., Véron, N., Veugelers, R. and Zettelmeyer, J. (2023). Green tech race? The US Inflation Reduction Act and the EU Net Zero Industry Act. *The World Economy*, 00, 1–15. <https://doi.org/10.1111/twec.13469>
- Kowalski P. and Legendre C. (2023). Raw Materials Critical for the Green Transition: Production, International Trade and Export Restrictions, *Oecd Trade Policy Paper*, N. 269.
- Korniyenko, M. Y., Pinat, M. and Dew, B. (2017). Assessing the fragility of global trade: The impact of localized supply shocks using network analysis. *International Monetary Fund*.
- Latunussa, C., Mancini, L., Blengini, G., Ardente, F. and Pennington, D. (2016). *Analysis of material recovery from photovoltaic panels*. Joint Research Center. Luxembourg (Luxembourg): Publications Office of the European Union.
- Meyer, M. (2006). Measuring science-technology interaction in the knowledge-driven economy: the case of a small economy. *Scientometrics*, 66 (2), 425–439.
- Mazzucato, M. (2018). Mission-oriented innovation policies: challenges and opportunities. *Industrial and corporate change*, 27(5), 803-815.

- Miller, C. (2022). *Chip War: The Fight for the World's Most Critical Technology*. Simon and Schuster.
- Morin, E. and Kern, A. B. (1999). *Homeland Earth: A manifesto for the new millennium*, Hampton Press (NJ).
- Naumanen, M., Uusitalo, T., Huttunen-Saarivirta, E. and van der Have, R. (2019). Development strategies for heavy duty electric battery vehicles: Comparison between China, EU, Japan and USA. *Resources, Conservation and Recycling*, 151, 104413.
- Nguyen, L. and Kinnucan, H. W. (2019). The US solar panel anti-dumping duties versus uniform tariff. *Energy Policy*, 127, 523-532.
- Rabe, W., Kostka, G. and Stegen, K. S. (2017). China's supply of critical raw materials: Risks for Europe's solar and wind industries?. *Energy Policy*, 101, 692-699.
- Rodrik, D., and Walt, S. M. (2022). How to build better order: limiting great power rivalry in an anarchic world, *Foreign Affairs*, 101(5), 142-155.
- Rozanski, L. J., Castaldelli, E., Sam, F. L. M., Mills, C. A., Demets, G. J. F. and Silva, S. R. P. (2013). Solution processed naphthalene diimide derivative as electron transport layers for enhanced brightness and efficient polymer light emitting diodes. *Journal of Materials Chemistry C*, 1(20), 3347-3352.
- Schelly, C., Bessette, D., Brosemer, K., Gagnon, V., Arola, K. L., Fiss, A., Arola K., Fiss A., Pearce, J. and Halvorsen, K. E. (2020). Energy policy for energy sovereignty: Can policy tools enhance energy sovereignty?. *Solar Energy*, 205, 109-112.
- Shaar, K. (2019). Reconciling International Trade Data. ZBW – *Leibniz Information Centre for Economics working paper*. Hamburg.
- Shubbak, M. H. (2019). The technological system of production and innovation: The case of photovoltaic technology in China. *Research Policy*, 48(4), 993-1015.
- Steward, F. (2012). Transformative innovation policy to meet the challenge of climate change: sociotechnical networks aligned with consumption and end-use as new transition arenas for a low-carbon society or green economy. *Technology Analysis & Strategic Management*, 24(4), 331-343.
- Tooze A. (2022). Welcome to the world of the polycrisis, *Financial Times*, 28 October 2022.
- Vartiainen, E., Masson, G., Breyer, C., Moser, D., & Román Medina, E. (2020). Impact of weighted average cost of capital, capital expenditure, and other parameters on future utility-scale PV levelised cost of electricity. *Progress in photovoltaics: research and applications*, 28(6), 439-453.
- Wang, M., Mao, X., Xing, Y., Lu, J., Song, P., Liu, Z., Guo, Z., Tu, K. and Zusman, E. (2021). Breaking down barriers on PV trade will facilitate global carbon mitigation. *Nature Communications*, 12(1).
- Winkler, D. and Wuester, L. (2022). Implications of Russia's invasion of Ukraine for its value chain. In: Garicano, L.; Rohner, D., Weder di Mauro, B., (Eds.). *Global economic consequences of the war in Ukraine: Sanctions, supply chains and sustainability*. London: CEPR Press, 71-78.

- Wittmann, F., Hufnagl, M., Lindner, R., Roth, F. and Edler, J. (2020). Developing a typology for mission-oriented innovation policies (No. 64). *Fraunhofer ISI Discussion Papers-Innovation Systems and Policy Analysis*.
- Wu, C. Y. and Mathews, J. A. (2012). Knowledge flows in the solar photovoltaic industry: Insights from patenting by Taiwan, Korea, and China. *Research Policy*, 41(3), 524-540.
- Yang, Y., Hancock, A., and Pitel, L. (2023). Solar power: Europe attempts to get out of China's shadow, *Financial Times*, 23<sup>rd</sup> March.
- Yuan, X., Song, W., Zhang, C. and Yuan, Y. (2022). Understanding the evolution of photovoltaic value chain from a global perspective: Based on the patent analysis. *Journal of Cleaner Production*, 377, 134466.
- Zhang, S. and He, Y. (2013). Analysis on the development and policy of solar PV power in China. *Renewable and Sustainable Energy Reviews*, 21, 393-401.
- Zhang, S., Andrews-Speed, P., Zhao, X. and He, Y. (2013). Interactions between renewable energy policy and renewable energy industrial policy: A critical analysis of China's policy approach to renewable energies, *Energy Policy*, 62 (2013), pp. 342-353
- Zhang, F. and Gallagher, K. S. (2016). Innovation and technology transfer through global value chains: Evidence from China's PV industry. *Energy policy*, 94, 191-203.